



**DETA-ELIS**  
THERAPEUTIC DIAGNOSTIC DEVICES



# DETA UDT MANUAL

## OPERATING THE DETA UDT THERAPY DEVICE

The DETA UDT is a therapy device with 443 pre-installed programmes covering a wide array of different health problems.

It is a combination of the DETA COSMO (cosmetology and anti-aging device) as well as the DETA RITM (bioresonance device for the organ systems). It **does not** include the DETA AP (bioresonance device for eradicating microorganisms).

The main advantage is its relatively low cost and wide variety of pre-installed programmes. It is a large unit, so is not really portable and cannot be programmed like the DETA AP and DETA RITM can using the Therapy 8.0 USB stick.

The DETA UDT uses three different treatment modalities, namely:

1. ELECTROMAGNETIC THERAPY
2. ELECTROACUPUNCTURE THERAPY
3. QUANTUM LIGHT THERAPY

These three treatment modalities can also be combined making it a powerful therapeutic device. The unit runs at between 0.1 and 1,000 Hz.

The Quantum light is used on 19 zones of the whole body.


## HOW DO I SET UP THE DEVICE?


Setting up the DETA UDT device is really quite simple. Just following these step-by-step instructions and you will be up and running in only a few minutes.

First, determine that you have all the necessary items included with the device:

- 1 x DETA UDT device itself
- 1 x Antenna box
- 2 x brass hand electrodes
- 1 x Quantum light unit
- 1 x Transformer to power the unit
- 1 x wire for connecting the Antenna
- 2 x electroacupuncture wire
- 1 x coiled wire for the Quantum light.

Next, power up the unit by connecting the transformer to the mains and the other end of the wire to the back of the unit labelled “12 V” – this is the 12 V input wire from the transformer. Be careful NOT to connect to the other connector in the back of the unit as this may harm the electronics.

You can now press the  button on the front of the unit to see if it turns on OK. It will initially beep and the display will indicate various commands (these are all in Russian as there have been no devices that have been converted to English as yet).



**KEY**

1. **POWER** button – to turn device on and off
2. Keyboard
3. **\*** or “Enter” button – after placing information into the device
4. **↑** и **↓** - Scroll up and down
5. **STOP** - STOP button – programmes will have to be begin again when pressed
6. **RUN** - RUN button – to begin running programmes
7. **INVERSION** - INVERSION – to invert the pathological frequencies
8. INTENSITY knob for adjusting electroacupuncture treatment intensity
9. Screen (in Russian language)
10. Antenna light – flashes GREEN when Antenna is connected and working correctly
11. Therapy light – flashes ORANGE when device is running in therapy mode
12. **FORM** - FORM button indicating SQUARE or SPIKED waves

As soon as you press the **POWER** button, a screen will appear asking you which mode of operation you wish to use.

There are three modes of operation:

- “Automatic mode” – press “1”
- “Manual mode” – press “2”
- “Electroacupuncture mode” – press “3”

The “Automatic mode” programme (1) runs automatically – you simply choose which programme you wish to run from the 443 programmes available in the device and it will run by itself.

The “Manual mode” programme (2) allows you to insert a number of programmes into the device manually, using specific frequencies in hertz. This allows you to run a mixture of programmes consecutively.

The “wobble mode” programme (3) allows the device to be programmed using different frequencies ranges and run times – this is only for the experienced health practitioner who has the knowledge to use this modality and should be ignored by the less knowledgeable user.

Therapy mode “3” enables the practitioner to initiate therapy in a “wobble” mode – this mode enables the practitioner to control the predetermined pitch and speed of the “wobble”.

This ability to swing through a range of frequencies prevents the patient from adapting or habituating (getting used to) a set frequency.

Moreover, according to Dr. R. Voll, using the “wobble” mode helps to intensify the low- resonance effects in organs and tissues, akin to an amplification of these therapeutic waves in the body tissues.

After pressing the POWER button, and pressing mode “3”, the device will prompt an initial frequency range by asking for F0 = (this is where you would like to begin the frequency range; e.g. 2 Hz). After inputting this number “2” press \*

The next prompt will be F1 = (this is the frequency where you would like to end the swing; e.g. 8 Hz). After inputting the number “8” press \*

What you have done is tell the device to swing between 2 Hz and 8 Hz and then back again in a “wobble” or “swing” mode.





The next prompt will be dF = (this is the step frequency you want the wave to move to; e.g. if you place dF = “0.5” the device will begin from 2 Hz then climb to 2.5 Hz then 3 Hz then 3.5 Hz and so on. You have determined the step to be 0.5 Hz every time.







Now you can determine the duration that each frequency band remain at and the device will prompt you for this by asking for T = ; e.g. you may input “30” seconds. This means that the device will remain at 2 Hz for 30 seconds, then 2.5 Hz for 30 seconds, then 3 Hz for 30 seconds, and so forth.

You can also determine the number of swings that you want the device to perform over the frequency ranges that you have determined. The device will prompt you with  $N =$  ; e.g. input “2” – this means that the device will go through the frequency range 2 Hz to 8 Hz, returning back to “ Hz and then repeat again (twice) before switching off automatically.

It is usual when using this mode to do swings over the frequency range 0.1 to 100 Hz, but this can be changed as needed.

## OPERATING INSTRUCTIONS

1. Turn the unit on by pressing the  button. Some writing in Russian will appear, with three number to choose from – “1” or “2” or “3” – these correspond to the “automatic”, “manual” and “electroacupuncture” modes mentioned above. In the early stages of use, it may be easier to stick to the “automatic mode” – choice “1” – until you familiarize yourselves better with the manual modes of treatment.
2. Chose one of the three numbers indicated, e.g. “1” for “automatic mode”.
3. The device will now ask you to enter the programme number you wish to run – there will be a flashing cursor seen on the screen. The numbers of the 443 programmes are shown at the end of this manual – there are also Russian manuals included with the device for those that read Russian. For example, if you put in the number “117” it will correspond to the programme for “Headaches – hormone related” – if you put in programme “7” it will correspond to “Acne” and so forth.
4. Press the  button to enter the programme number into the device.
5. The device will now ask for a “run time” – this is indicated on the screen as a “T=” and again there will be a flashing cursor.
6. Put in 1200 – the time is in seconds, so 300 seconds are 5 minutes, 600 seconds are 10 minutes, 900 seconds are 15 minutes and 1,200 seconds are 20 minutes which is the maximum run time allowable. If you put in 1,300 seconds it will not allow it and will only show 130 on the screen. The cursor always returns back to the first digit when the correct run time number is inserted. If you input a number that is less than the minimal run time accepted by the device, then the flashing cursor will remain at the end of the number waiting for you to increase the run time. There is no need to press the  button after entering the Time.
7. Now you are ready to run the programme, so press  and the device will begin to run the frequency that you have input. The timer on the screen will start clocking backwards from the initial Time that you set. The number at the top is the specific frequency (in hertz) that the device is running at any point in time.
8. If the Antenna is connected correctly then the GREEN “Antenna” light will be flashing on the front of the screen. Also the ORANGE “Therapy” light will also be flashing.
9. You can place the **ANTENNA** on the part of the body being treated, or anywhere on the body, and also use the Quantum light at the same time on parts of the body that correspond to the organ systems.



10. To stop the programme at any time, simply press **STOP** – this will return the device back to the initial screen, ready to accept another programme.
11. The **FORM** button allows you to change between a SQUARE WAVE  and a  SPIKED WAVE.
12. The **INVERSION** button allows you to invert the pathological oscillations of the patient in order to cancel out. So the SQUARE WAVE  when inverted becomes . The SPIKED WAVE  when inverted will become .

This is helpful when using autonosode therapy like an infected tonsil smear or blood sample, placed in the BLACK INPUT electrode of the device while holding it. The sample can be wrapped in some foil or plastic and can be placed inside the hand electrode itself).

Let us now look at the different modes of treatment available on the DETA UDT in a little more detail.

### ELECTRO-ACUPUNCTURE THERAPY

First we connect the BLACK INPUT and RED OUTPUT wires to the side of the device – we connect these to the two BRASS HAND ELECTRODES – best to use the holes on the sides of the electrodes, as opposed to the top hole, to prevent unnecessary kinking of the wires. The RED end of the wire from the first electrode we can connect to the RED connector on the side of the unit and the black wire to the BLACK connector.

On the front of the unit there is a **FORM** button that enables us to change between  SQUARE and  SPIKED waves. The **INVERSION** button allows us to inverse the frequencies when we want to cancel out the pathological frequencies. So when we choose a certain polarity the appropriate light is seen, when we press the inverse button we see the appropriate opposite polarity light as the polarity is inverted.

**For practitioners only:** When do we use these buttons for changing polarity? The acupuncture points have a negative polarity and our diagnostic probe has a positive polarity, therefore allowing the indicator on our diagnostic devices to act as a galvanometer. About 50 is about normal, meaning there is a balance between the negative polarity of the acupoint and the positive polarity of the diagnostic probe.

If we have an indicator drop below 50, then we need to choose the NEGATIVE POLARITY on the UDT in order to charge the acupoint with energy, which will be therapeutic.

If there is a rise above 50 with the indicator, then this means that there is an inflammatory reaction and the POSITIVE POLARITY should be chosen in order to remove energy from the acupoint.



In the DUAL polarity, the energy of the positive and negative pulse is the same. So we are not adding or subtracting energy and the therapeutic effect takes place from the frequency of the electromagnetic pulse only.

To make certain that no pain is felt by the patient during electroacupuncture therapy, and to be able to control the intensity of the pulse, it is best to use the INTENSITY knob to determine the patient's tolerance.

When working in the Electracupuncture mode, it is important before handing the electrodes to the patient for the control knob to be at zero. As the patient is holding the electrodes, you can begin turning the knob to increase the intensity slowly. As soon as the patient begins to feel electricity going through their hands with a tingling sensation, then turn back the knob a little until they feel nothing. This is the correct intensity for that particular patient. You will find that the intensity setting differs from patient to patient. This intensity knob is only used when working with electroacupuncture therapy – it has no effect on the Electromagnetic or Quantum light therapies.

Electroacupuncture therapy is very effective when there is a bone fracture – you may place one electrode above the plaster on the arm or leg and the other electrode the other end. Choose the programme “Trauma – Regeneration therapy” and run. This will provoke the muscles to maintain their tone and prevent atrophy, as well as speeding up the healing process of the bone.

In addition, the electroacupuncture therapy is also very effective when treating pain condition, including the spine. Place the electrodes at either end where the pain is located and choose the programme for “Anti-Pain”.

Now let us look at the Bioresonance Therapy.

## **BIORESONANCE THERAPY**


We can disconnect the red and black wires of the electroacupuncture electrodes and connect the wire for the Antenna device.


We connect one end of the wire to the back of the unit labelled “Antenna” and push this in until you hear a “click”. The other end of the wire we connect to the Antenna box until we again hear a “click”.

The side of the Antenna with the name ANTENNA is the side which we place on the body.

Here we can choose what frequencies we wish to use for our bioresonance therapy. We therefore press the button for number “2” – manual mode – and the device will ask us what frequencies we need to input. We can put in “10” – which is 10 hertz – and press the “\*” button (star button).

Next, the device will ask us for a time to enter – this is the run time of the frequency we have chosen – we can choose between 60 – 240 seconds per frequency – all input

is in seconds and must be followed by the  (STAR) button which is the equivalent of the ENTER button on our computers.

We then press  and the programme begins running immediately. We will see the lights flashing on the unit – the green Antenna light and the light below it – this means that the Antenna is working correctly and can be placed on the patient's body. Should the Antenna not be connected correctly, then the green light will change to RED, indicating that the Antenna is not connected correctly and therapy is not active.

The flashing GREEN light indicates that the unit is working correctly.

If we want to stop or pause the bioresonance therapy, we can press the STOP button.


Now we can look at the third method of therapy, the QUANTUM LIGHT therapy.

### **QUANTUM LIGHT THERAPY**

We can disconnect the Antenna wire from the unit completely, and remove.

Now we take the coiled wire and connect one end to the Quantum light unit and the other end to the Quantum connector on the side of the device where the black and red connectors are found.

We can now choose the manual mode of operation by pressing the button “2” – we can input our chosen frequencies – say “10” and then input the run time – say “120” seconds.

As soon as we press  we will see the Quantum light operating with flashing lights.

We also have the possibility of combining all these treatments together if we wish.

We can use the Quantum light on the zones of the body and face, much like we do when using the DETA COSMO.

The Antenna during bioresonance therapy we can place on the body on the part that we are treating.

### **BASIC RULES REGARDING TREATMENTS**

When we use the Antenna by itself during Electromagnetic therapy, we can use it for 30 minutes per programme, but when we use it in combination with the Quantum light, the time should be halved to 15 minutes.

We can use the Quantum light on all 19 zones of the body – see below.

When we are working on zone one near the eyes, it is best for the patient to close their eyes and the therapist could also wear sunglasses.



Use the Quantum light in small, circular motions of 2-3 cm diameter, a touch above the skin, slowly, completing one cycle in 1-2 seconds.

### **Treatment Cycles**

On the first 5 days work on the appropriate zones of the body on a daily basis to have optimal results.

We need to work three 4-day cycles which is equal to 12 days of treatments – this is known as a COMPLEX.

The patient then needs to rest for 2 weeks before resuming the next complex of treatments.

N.B. Usually after 3 – 6 treatments the patient may have “detox symptoms” such as headaches, dizziness, pains in muscles, flu-like symptoms – so a pre-warning to the patient with advice to drink plenty of water – 1.5 – 2 litres per day.

If the detox symptoms persist for longer than 24 hours then it is best to take a break from treatments until the detox symptoms abate.

Make certain that the treatment room is comfortable with relaxing background music with dim lights as bright lights can diminish the effectiveness of the Quantum light. Room temperature should be a comfortable 26 – 28 degrees centigrade.

Both patient and therapist should not eat during treatments – allow at least 2 hours after eating, or an hour or so before. Also, allow at least one hour after exercise before treatment begins.

It is good for the patient to relax for 10 – 15 minutes after treatments in a warm room with background music.

Therapy time should run for 5 minutes per frequency for people over the age of 18 years and 2-3 minutes/frequency for children.

When running programmes for a minimum of 5 minutes per frequency we should see therapeutic results in about 3 – 5 treatment sessions.

With chronic diseases we normally see a shift after 10 – 20 sessions of daily treatments if each session lasts from 10 – 30 minutes.

### **Frequency Times With Age**

As we age, so do our cells and their biochemical and metabolic efficiency decreases. So the stimulation time required using bioresonance and Quantum light increases as we get older. A rough guide is listed below:

0 – 6 years old	-	< 2 mins/frequency
6 – 16 years old	-	2 – 5 mins/frequency
16 – 50 years old	-	5 mins/frequency
50 – 65 years old	-	7 – 8 mins/frequency

70 + years - 10 mins/frequency

**Programming Additional Programmes**

In addition to the 443 programmes that are pre-installed in the DETA UDT, there are also a further 15 programmes that you can input yourself using the “manual mode” of treatment, which is number “2”.

So as soon as you POWER up the device, you input the number “2” and this will enable you to input the frequencies of the following 15 programmes.

**PROGRAMME 1 – ACTIVE PROTECTION**

This programme increases the protective functions of the body from microbes and other external factors. It is particularly helpful for the hypersensitive person.

For example, students in school and university who do not get enough sleep – shift workers – doctors and other professionals – people travelling long distances – these will all benefit from the ACTIVE PROTECTION programme.

The programme helps to increase stamina and regulates the immune system, reduces neurosis and stress, increases concentration, vitality and generally tonifies the body. It also helps to regulate the nervous and endocrine systems of the body.

**PROGRAMME 1 - ACTIVE PROTECTION**














No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
7	2.5 = 150 s	17.5	2.2	10	12.5	15.7	19.5	26	92.5	
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>			1	4	5	7				
<b>2<sup>nd</sup> DAY</b>			1	4	5	7				
<b>3<sup>rd</sup> DAY</b>										
<b>4<sup>th</sup> DAY</b>										

To understand the table above for the ACTIVE PROTECTION programme, here is a brief summary in bullet point form:

1. There are 7 frequencies in total for this programme
2. Each frequency lasts 2.5 minutes, which is the equivalent of 150 seconds
3. So the total Therapy Time is 7 x 2.5 = 17.5 mins
4. The Body Zones treated on the first day are 1, 4, 5 and 7.
5. The Body Zones treated on the second day happen to be the same as the first day, but often differ for other programmes.
6. Once we have completed the zones on the 1<sup>st</sup> and 2<sup>nd</sup> day, we return back to the zones on the 1<sup>st</sup> day and recycle.

## How to Programme in the DETA UDT this Individual Programme

Let us go through the programming of this ACTIVE PROTECTION programme step-by-step so we can get a basic understanding of how to programme all the other 14 programmes that will be mentioned below.

1. Turn on the device by pressing the **POWER** button.
2. The screen will display F1 = (here you place the first frequency which is “2.2” and press  (STAR)
3. The screen then asks for T = (place the time of the frequency you entered above which in this case is “150” – the device only understands seconds, not minutes – 150 seconds is the equivalent of 2.5 minutes. Press 
4. The screen now asks for F 2 = “10” – this is the second frequency in the table above – press 
5. Now the screen comes back and asks for T = “150” – it is the same for all the frequencies – press 
6. The screen now asks for the next frequency – F3 = “12.5” – press 
7. Now T = “150” again – press 
8. F4 = “15.7” – press 
9. T = “150” = press 
10. F5 = “19.5” – press 
11. T = “150” – press 
12. F6 = “26” – press 
13. T = “150” – press 
14. F7 = “92.5” – press 



We have now reached the end of inputting the 7 frequencies that the ACTIVE PROTECTION programme consists of – we now press **RUN** and the programme should begin to run normally.

Check that the Antenna light is flashing GREEN and the Therapy light flashing ORANGE. If the Quantum light is plugged in, this will also begin flashing.

Place the ANTENNA on the body with the name facing down towards the body on the organ begin treated, or anywhere on the body. You may now use the Quantum light on the zones of the body indicated in the table above.

So, on the first day we will treat zones 1, 4, 5 and 7 – and they are the same on day 2, so we use the same zones throughout the treatment cycles.

When working on individual zones, you need to estimate the amount of time on each zone which is 2.5 minutes – with practice you will not even need a stop watch, but it is good practice to begin with one initially.

The same procedure is used for all the other 14 programmes that will be mentioned below, so there is no need to repeat the programming procedure again.

**PROGRAMME 2 – ANTI-PAIN**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
8	2.5 = 150 s	20	3.8	4	4.9	5.5	8	9.4	9.5	9.6
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>										
			1	2	10	12	16	17		
<b>2<sup>nd</sup> DAY</b>										
			1	2	10	12	16	19		
<b>3<sup>rd</sup> DAY</b>										
			1	4	10	12	16	19		
<b>4<sup>th</sup> DAY</b>										
			4	5	10	12	19			

The ANTI-PAIN programme works against all pain conditions in the body. You may need to repeat the programme every hour for a few cycles if the pain is acute.

**PROGRAMME 3 – ANTI-SMOKING**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
1	20 = 1,200 s	20	3.5							
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>										
			1	2	4					
<b>2<sup>nd</sup> DAY</b>										
			1	4	12	36				
<b>3<sup>rd</sup> DAY</b>										
			1	4	5					
<b>4<sup>th</sup> DAY</b>										
			1	5	6	9	19			

Run this for 3-4 cycles and then rest.

**PROGRAMME 4 – BRONCHOSPASM AND DYSPNOEA**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
6	2.5 = 150 s	15	3.8	5.9	7.7	9.4	50	55		
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>										
			1	2	4	5				
<b>2<sup>nd</sup> DAY</b>										
			4	5	6	7	9	11		
<b>3<sup>rd</sup> DAY</b>										
			4	7						
<b>4<sup>th</sup> DAY</b>										
			11	19						

This BRONCHOSPASM and DYSPNOEA programme helps to regulate the lungs and the alleviation of the spasms, as well as helping circulation and oxygenation of the lungs and bronchi. If the problem is acute, you can repeat the programme in about one hour.

**PROGRAMME 5 – DETOXIFICATION OF THE ORGANISM**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
8	2.5 = 150 s	20	0.7	0.9	2.5	2.65	3.3	9.8	56	69
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>										
			1	4	5	7	19			
<b>2<sup>nd</sup> DAY</b>										
			5	6	9	12	16			
<b>3<sup>rd</sup> DAY</b>										
			7	19						
<b>4<sup>th</sup> DAY</b>										
			4	5	16	19				

This DETOXIFICATION programme can help the body to detoxify of larger toxic molecules up to a molecular weight of 4,000, which would include snake venom.

It can also help to eliminate the toxins produced by bacteria, viruses and parasites that are being eradicated using other protocols.

It is also helpful with cancer patients who have been treated with chemotherapy, to help them detox these lethal toxins.

It is also helpful for detoxifying after an alcoholic stupor.

**PROGRAMME 6 – WEIGHT LOSS**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
5	3 = 180 s	15	2	4	4.9	32	35.5			
BODY ZONES TO TREAT										
<u>BODY ZONES</u>										
<b>1<sup>st</sup> DAY</b>			1	2	4	7	19			
<b>2<sup>nd</sup> DAY</b>			2	4	5	19				
<b>3<sup>rd</sup> DAY</b>			5	6	7	9				
<b>4<sup>th</sup> DAY</b>			7	11	19					

This WEIGHT LOSS programme works on the Hypothalamic – Pituitary – Adrenal Axis. When the hypothalamus is effected, then the person will eat and drink much more than normal, eating at awkward hours in the middle of the night. This programme can be run twice per day. It can obviously be combined with other weight loss practices such as eating a balanced diet, avoiding fast foods, exercising and the like.

**PROGRAMME 7 – ANTI-STRESS**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
7	2.5 = 150 s	17.5	2.5	3.6	3.9	5	8.1	34	92	
BODY ZONES TO TREAT										
<u>BODY ZONES</u>										
<b>1<sup>st</sup> DAY</b>			1	2	4	5	10	11		
<b>2<sup>nd</sup> DAY</b>			2	10	12	19				
<b>3<sup>rd</sup> DAY</b>			2	4	5	7	8	12		
<b>4<sup>th</sup> DAY</b>			1	2	5	6	7	9	10	12

Helps to relax and regulate sleep.



**PROGRAMME 8 – GASTROINTESTINAL REGULATION**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
7	2.5 = 150 s	17.5	3.5	3.8	8.1	8.6	9.4	10	11.5	
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>										
			2	6	7	8	9	10	19	
<b>2<sup>nd</sup> DAY</b>										
			2	7	19					
<b>3<sup>rd</sup> DAY</b>										
			4	5	10	19				
<b>4<sup>th</sup> DAY</b>										
			5	7	12					

Can be used to regulate the gastrointestinal system whenever there is constipation, stomach and duodenal ulcers as well as bowel distension.

**PROGRAMME 9 – FEMALE UROGENITARY REGULATION**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
6	2.5 = 150 s	15	2.5	4	4.9	5.5	9.4	9.5		
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>										
			9	11	13	19				
<b>2<sup>nd</sup> DAY</b>										
			7	11	14	19				
<b>3<sup>rd</sup> DAY</b>										
			5	8	11	17	19			
<b>4<sup>th</sup> DAY</b>										
			6	9	11	17	19			

This programme can be used by women of all ages and helps with menopausal symptoms including hot flushes, hypertension and weight gain.

It works on regulating the Hypothalamic – Pituitary – Adrenal Axis.

It can also be used prophylactically once per week.

Therapeutically it can be used much more often – on a daily basis following the instructions mentioned above.

N.B. It is contraindicated and should not be used by pregnant women or women planning to get pregnant.

**PROGRAMME 10 – REGULATING CIRCULATORY SYSTEM**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
			7	2.5 = 150 s	17.5	7	9.4	9.45	19.5	40.5
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>			2	4	6	9				
<b>2<sup>nd</sup> DAY</b>			5	10	17					
<b>3<sup>rd</sup> DAY</b>			2	4	6	9				
<b>4<sup>th</sup> DAY</b>			10	12	15	19				

This programme helps to regulate blood circulation in the arteries and veins, helping with varicose veins, phlebitis (thread veins), and peripheral circulation problems.

N.B. Contraindications for this programme include myocardial infarctions (can run 2 months or more after the heart attack), when wearing a pacemaker or with cardiac failure patients.

**PROGRAMME 11 – MALE UROGENITAL SYSTEM REGULATION**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
			7	2.5 = 150 s	17.5	2.6	4	4.9	5.5	9.4
<b>BODY ZONES TO TREAT</b>										
<b><u>BODY ZONES</u></b>										
<b>1<sup>st</sup> DAY</b>			2	7	8	10	11	15	17	
<b>2<sup>nd</sup> DAY</b>			2	6	9	11	17	19		
<b>3<sup>rd</sup> DAY</b>			1	5	7	9	11	19		
<b>4<sup>th</sup> DAY</b>			7	10	13	19				

This programme can help regulate the male urogenital system in cases of prostatitis, pain in the genital area, frequent urination, haematuria (blood in the urine), difficulty urinating and erectile problems.

It is important to seek medical help from a medical health professional when these problems are chronic.

**PROGRAMME 12 – HEART REGULATION**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
8	2.5 = 150 s	20	1.2	3.8	8	9.45	41	43	43.5	43
BODY ZONES TO TREAT										
<u>BODY ZONES</u>										
1 <sup>st</sup> DAY										
			2	4	5	10	11			
2 <sup>nd</sup> DAY										
			4	5	11	19				
3 <sup>rd</sup> DAY										
			3	4	6	10	11			
4 <sup>th</sup> DAY										
			4	5	11	19				

This programme helps to regulate the parasympathetic nervous system that is responsible for monitoring heart functioning and is helpful in circulation problems, systolic hypertension, coronary artery stenosis, endocarditis and extrasystole.

The best time to run this programme is from 11 am to 1 pm according to the Meridian Clock.

**PROGRAMME 13 – VISUAL REGULATION**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
4	2.5 = 150 s	10	3.6	4.9	31.5	72.5				
BODY ZONES TO TREAT										
<u>BODY ZONES</u>										
1 <sup>st</sup> DAY										
			1	2	4	7	8	12	19	
2 <sup>nd</sup> DAY										
			1	2	6	9	12	16	19	
3 <sup>rd</sup> DAY										
			1	4	5	7	12	19		
4 <sup>th</sup> DAY										
			4	7	10	12	19			

This programme can be run any time of the day and can be used 1 - 2 times per week prophylactically.

**PROGRAMME 14 – TRAUMAS**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
7	2.5 = 150 s	17.5	1.2	2.5	3.6	3.8	3.9	8.6	92	
BODY ZONES TO TREAT										
<u>BODY ZONES</u>										
<b>1<sup>st</sup> DAY</b>			4	7	10	12	14	19		
<b>2<sup>nd</sup> DAY</b>			4	5	10	12	15	17	19	
<b>3<sup>rd</sup> DAY</b>			5	10	19					
<b>4<sup>th</sup> DAY</b>			6	9	10	12	15	16	19	

This programme can help after a trauma or accident were there is bruising, fractures, pain, hyperaemia, oedemia, and post-operatively.

The Antenna can be placed directly on the traumatized part of the body.

**PROGRAMME 15 – BACK FATIGUE**

No of Frequencies	Time per Frequency (mins)	Total Therapy Time (mins)	FREQUENCIES							
8	2.5 = 150 s	20	1.2	2.5	3.6	3.8	3.9	7.5	33	79
BODY ZONES TO TREAT										
<u>BODY ZONES</u>										
<b>1<sup>st</sup> DAY</b>			7	9	10	19				
<b>2<sup>nd</sup> DAY</b>			7	9	15					
<b>3<sup>rd</sup> DAY</b>			7	8	9	10				
<b>4<sup>th</sup> DAY</b>			6	9	13					

This programme can help with muscular pain around the joints, osteochondrosis, cervical and lumbar pain, disc trauma and disc degeneration.

The Antenna can be placed on the body part in pain.

**PRE-INSTALLED PROGRAMMES ON THE DETA UDT**

The programmes in the table below are the 443 pre-installed programmes that can be used in the “automatic mode” of the Deta UDT. Each programme has a complex of frequencies in Hertz or cycles/second. This is useful when one wishes to use the “manual mode” and join various programmes together to run consecutively.

<b>PROGRAM NUMBER</b>	<b>DISEASE</b>	<b>PROGRAM FREQUENCIES</b>
1	Absess	1.7
2	Absess on lung	1.7+3.6
3	Adenoma of prostate	2.5+2.6+4.0+4.9+9.4
4	Frohlich Syndrome	4.0
5	Salpingitis	9.4
6	Adrenergic therapy	1.75
7	Acne	1.7
8	Allergic vaginitis	2.5+2.9
9	Absess on lung	8.0
10	Allergic dermatitis	0.7+1.7+2.6+9.2+9.4
11	Allergy	3.8
12	Allergy	9.6+8.1+1.7
13	Allergy	3.8+9.6+8.1+1.7
14	Analgesic (pain) therapy	3.6+3.9+9.7
15	Acute Tonsilitis	9.45
16	Angiospasm	5.55
17	Angiospastic therapy	5.55+9.5
18	Anti-rhythmic therapy	1.2
19	Antihistaminic therapy	0.9+1.75+2.5+2.9
20	Anti-depressive therapy	5.8+9.6
21	Anti-haemorrhagic therapy	2.5
22	Anti-haemorrhagic therapy	9.45
23	Arthritis (uric acid related)	9.4
24	Anti-rheumatic therapy	9.6+9.7
25	Anti-serotonic therapy	8.1+9.6
26	Anti-sclerotic therapy (blood vessels)	3.3
27	Antiseptic therapy	3.8+5.9+7.7
28	Coronary artery dilation (antistenocardic effect)	9.45
29	Anti-fear therapy	3.9
30	Appendix	1.7+2.6+9.4
31	Spinal arachnoiditis	4.9+5.9+7.7+9.2+9.35
32	Subarachnoid haemorrhage	4.9
33	Arteriosclerosis	3.3
34	Arteriosclerosis – Blood pressure related	3.3
35	Cerebral arteriosclerosis	3.3
36	Arthritis of ankles	9.6
37	Arthritis or osteoarthritis	1.2+1.6+9.2+9.6

Deta UDT Manual

38	Arthritis or osteoarthritis of ankles	9.6
39	Arthritic therapy	9.6
40	Osteoarthritis	1.6+9.2+9.6
41	Atopic bronchial asthma	0.9+4.0+8.0+9.45
42	Asthma (allergic – infection)	0.9+4.0+8.0+9.45
43	Atherosclerosis	3.3
44	Atonic paralysis	9.3
45	Atonia of the gut	8.25+9.35
46	Autoimmune disease	0.1+1.2
47	Laryngitis	9.5
48	Calcium/Phosphorus imbalance	4.6+9.6
49	Sodium/Potassium imbalance	5.5+8.1
50	Sub-fertility problems	9.6
51	Insomnia	2.5+3.6+3.9+8.5
52	Amylotropic Lateral Sclerosis (ALS)	8.25+9.35
53	Spondilitis	9.6
54	Hepatitis A	0.9+2.5+3.3+9.8
55	Gilbert’s Syndrome	0.9+2.5+3.3+9.8
56	Meniere’s Disease	4.0
57	Muscle pains around joints	6.8
58	Joint pains	1.2
59	Joint pains (uric acid related)	9.4
60	Bronchial asthma	0.9+4.0+8.0+9.45
61	Asthmatic bronchitis	8.0
62	Bronchitis – choking	9.4
63	Bronchopulmonary system	0.9+4.0+8.0+9.4+9.45
64	Bronchopneumonia	9.4
65	Bronchospasm (Asthma crisis)	3.8+5.9+7.7+9.4
66	Angiogenic therapy	1.2+2.5
67	Rhinitis	2.5+2.9
68	Varicose veins	2.5
69	Varicose veins of lower legs	2.5
70	Varicose veins – ulcerative	10.0
71	Varicose veins and poor circulation	9.4
72	Imbalances Autonomic Nervous System	2.5
73	Da Costa’s Syndrome	4.0+6.0+9.4
74	Da Costa’s Syndrome (hypotonic)	1.7
75	Spinal therapy	9.6
76	Vertebral basilar insufficiency	9.6
77	Upper respiratory tract	9.4
78	Virilization or masculinization in women (Virile syndrome)	2.6+4.0+4.9
79	Hydrocoele	2.5+2.6+4.0+4.9+9.4
80	Potassium/Sodium imbalances	4.6+9.6
81	Calcium imbalance	4.6
82	Inflammation	3.6



Deta UDT Manual

83	Acne (Acne Vulgaris)	1.7
84	Uterine prolapse	2.5+9.4
85	Flaccid paralysis	8.25
86	Sinusitis	2.9
87	Headaches (stomach related)	9.4
88	Hepatotoxic Syndrome	0.9+2.5+3.3+9.8
89	Migraines	9.5
90	Haemorrhages	2.6+3.8+4.0
91	Haemostatic therapy	2.5
92	Hepatitis and gallbladder ducts	0.9+0.2+3.3+9.8
93	Varicose veins (related to Hepatitis)	0.9+2.5+3.3+9.8
94	Headaches (Liver related)	8.5
95	Hepatogenic therapy	0.7+0.9
96	Hepatic toxaemia	0.9+2.5+3.3+9.8
97	Hepato-Gallbladder inflammation	0.9+2.5+3.3+9.8
98	Hypoglycaemia	3.3+3.6
99	Hypermenorrhia (high blood loss)	2.5+4.0
100	Diastolic hypertension	9.2
101	Hypertension (arteriosclerotic)	3.3
102	Systolic hypertension	6.0
103	Hypertonia	3.3+6.0+9.2+9.45+9.5
104	Hypoglycaemic reaction	9.2
105	Hypotensive reaction	3.3+6.0+9.25+9.45+9.5
106	Hypotension	1.7
107	Hypotension (Fainting)	1.7
108	Pituitary imbalances	4.0
109	Nephritis	2.8+3.3+8.1+9.2
110	Headaches (hepatotoxaemia)	2.26
111	Headaches (classical)	9.45+9.5
112	Headaches (cervical vertebrae)	9.6
113	Headaches (gallbladder related)	8.5
114	Headaches (gut related)	8.0
115	Headaches (meningitis related)	4.9
116	Headaches (kidney related)	9.2
117	Headaches (hormone related)	5.5
118	Headaches (blood vessel spasms)	6.3
119	Headaches (pituitary related)	4.0
120	Headaches (urogenital related)	9.4
121	Headaches (vision related)	3.6+4.9
122	Headaches (liver disease related)	2.6+6.0
123	Headaches (small/large intestine)	2.6+8.0+9.4
124	Headaches (meningitis related)	4.9
125	Headaches (parathyroid related)	9.6
126	Headaches (carotid artery related)	5.5+9.5
127	Headaches (ovary related)	4.9
128	Headaches (menstrual related)	4.9
129	Headaches (pituitary and ovaries)	9.4
130	Headaches (vagina)	2.5

Deta UDT Manual

131	Headaches (chronic arachnoiditis)	4.9
132	Headaches (nose related)	2.5
133	Headaches (trauma related)	1.2+6.3
134	Headaches (blood vessel related)	9.5
135	Headaches (head related)	1.2+6.3
136	Headaches (hormone related – pituitary)	4.0
137	Headaches (hormone related – ovaries)	9.4
138	Dizziness	4.0
139	Granulomas	3.6+4.9
140	Depression	5.8+9.6
141	Dermatitis (neurodermatitis)	0.7+1.7+2.6+9.2+9.4
142	Diastolic hypertension	9.2
143	Prostate problems (hormone related)	2.5+2.6+4.0+4.9+9.4
144	Gallbladder dyskinesia, hypertonic type	9.2
145	Gallbladder dyskinesia, hypotonic type	2.65
146	Dyskinesia large intestine – hypermotor type	9.45
147	Dyskinesia large intestine – hypomotor type	3.5+3.8+8.1+9.4
148	Dysmenorrhoea - haemorrhage	4.0
149	Dysmenorrhoea	2.5+3.5+4.0+4.9
150	Dysmenorrhoea	4.0+4.9+9.5
151	Thyroid dysfunction	9.5
152	Diuretic reaction	8.1
153	Water and Electrolyte Balance	8.1
154	Balancing calcium metabolism	9.6
155	Sympathetic Nervous System stimulation	1.75
156	Dopamine stimulation	3.5
157	Ballism – abnormal jerking movements	3.5
158	Duodenal ulcer	9.45+10.0
159	Fallopian tube inflammation	3.3+5.8+9.2
160	Gallbladder stones	3.5
161	Tongue burn	3.8
162	Pancreas disease	4.0
163	Rheumatism disease	9.7
164	Constipation	3.5+3.8+8.1+9.4
165	Chronic prostatitis	2.5+2.6+4.0+4.9+9.4
166	Teeth	3.6+4.9+9.5
167	Heart burn (stomach)	8.6+9.4+10
168	Immune system	1.7+1.75+8.1+9.4+9.6
169	Immune suppression reaction	1.6+1.7
170	Immune boosting reaction	9.4
171	Impotence	2.6+4.0+4.9

Deta UDT Manual

172	Headaches (gut related)	2.6+8.0+9.4
173	Bronchial asthma	0.9+4.0+8.0+9.45
174	Liver infections	0.9+2.5+3.3+9.8
175	Sciatica	9.7
176	Headaches (large and small gut)	2.6+8.0+9.4
177	Menopause (dysmenorrhoea)	4.0+4.9+9.5
178	Menopause	4.0+4.9+9.5
179	Menopause – hypertension	9.5
180	Hypotension (fainting)	1.7
181	Kidney disease (war – missile related)	2.5
182	Adrenal medulla	1.2+1.7+2.6+4.0+4.9+9.45
183	Adrenal medulla (hormone dysfunction)	1.2+2.6+4.0+4.9+9.4
184	Ischaemia	9.45
185	Cryptorchidism (hidden testicles)	2.5+9.4
186	Haemorrhage	2.5
187	Haemorrhage (from bruising, trauma)	2.5
188	Labyrinths	3.3+5.8+9.2
189	Laryngitis and Tracheitis	9.5
190	Leptomeningitis	4.9
191	Lymphatic stimulation	1.6+1.7
192	Uterus	2.5+3.5+4.0+4.9+9.4+9.5
193	Depression	3.5
194	Meningitis	4.9
195	Period pains	3.5+4.9
196	Menorrhagia (heavy periods)	2.5+4.0+4.9
197	Myalgia	6.8
198	Tonsils	1.7+8.1+9.4+9.45+9.6
199	Myositis	0.1+1.2+6.8+72.0
200	Uterine myomas	2.5
201	Adrenal medulla	5.5+8.1
202	Bladder, urethra	8.1+9.4
203	Diuretic reaction	8.1
204	Urolithiasis	2.8+3.3+8.1
205	External otitis	3.3+5.8+9.2
206	Kidney, excretory problems	9.2
207	Poor blood circulation	9.4
208	Adrenal dysfunction	9.45
209	Parathyroiditis	4.6+9.6
210	Pituitary and ovary dysfunction	9.4
211	Sympathetic-Adrenal dysfunction	1.75
212	Rhinitis (sinuses)	2.9
213	Neuralgia	3.9
214	Neuralgias	3.9
215	Trigeminal neuralgia	7.5
216	Neuritis	3.3

217	Optic neuritis	3.6+4.9
218	Facial neuritis	3.9+7.5
219	Acoustic nerve neuritis	3.3+5.8+9.2
220	Bronchial asthma (psychosomatic)	3.5+3.6+6.3
221	Neurosis	6.3
222	Neurodermatitis	0.7+1.7+2.6+9.2+9.4
223	Cholinergic effect	5.8
224	Neurocirculatory dystonia	1.2+6.3
225	Neurocirculatory dystonia	4.4+6.0+9.4
226	Hypothalamus – Pituitary axis	4.0+4.9+9.4
227	Dental chemical allergies	3.6+4.9
228	Nephritis	2.8+3.3+8.1+9.2
229	Headaches (kidney related)	9.2
230	Headache (nephrogenic)	9.2
231	Kidney reaction	9.2
232	Kidney stones	2.8+3.3+3.5+8.1
233	Kidney – hardening (sclerosis)	2.8+3.3+8.1+9.2
234	Polyarthritits	9.2+9.7
235	Bronchitis – apofraktiki	9.4
236	Headaches (teeth)	3.6+4.9
237	Obesity	4.0+4.9
238	Vision	3.6+4.9
239	Hearing	5.8+6.0+9.25+9.8
240	Epididymitis (Epididymis inflammation)	2.5+2.6+4.0+4.9+9.4
241	Osteitis of the upper and lower jaw	3.6+4.9
242	Spine, osteochondrosis	9.6
243	Spine, osteochondrosis	9.6
244	Spine, osteochondropathia	9.6
245	Acute inflammation	3.6
246	Nephritis, acute and chronic	2.8+3.3+8.1+9.2
247	Oedema, varicose vein related	2.5
248	Oedema, head	2.5+2.6+8.0+9.2+10.0
249	Oedema, lungs	10.0+9.2+8.0+2.6+2.5
250	Lymphoedema	2.5
251	Oedema	2.5+9.4+10.0
252	Otitis, chronic	3.3+5.8+9.2
253	Headache (ear related)	5.8+9.2
254	Otosclerosis	3.3+9.2
255	Otosclerosis	5.8
256	Mouth, chronic infections	3.6+4.9
257	Alopecia	1.7+2.5+9.5
258	Pancreatitis	4.0
259	Pancreas, dysfunction	4.0
260	Pancreatic reaction	4.0
261	Paradontosis	1.7+2.5+9.5
262	Paradontosis	3.6+4.9
263	Flaccid paralysis	8.25+9.35

Deta UDT Manual

264	IBS – spastic colitis	5.9+7.7+9.2
265	Parauterine inflammation	9.4
266	Parasympathetic Nervous System	6.0
267	Parasympathetic Nervous System	6.0
268	Parasthesia	9.4
269	Parathyroid	4.6+9.6
270	Partial paralysis	9.4
271	Parkinsonism	3.5
272	Fractures	8.6
273	Periodontitis	2.65
274	Periostitis	2.65
275	Peripheral blood vessels	3.3+4.0+5.55+6.0+9.25+9.5+10
276	Paradontosis	1.7+2.5+9.5
277	Headache (liver)	2.66
278	Liver	0.9+2.5+2.6+3.3+6.0+8.5+9.8
279	Pyelonephritis	2.8+3.3+8.1+9.2
280	Pyelo-cystitis	2.8+3.3+8.1+9.2
281	Tearing from eyes	3.6
282	Pleuritis	2.5+9.4
283	Pneumonia	9.4
284	Spine – trauma	9.6
285	Concussion	1.2+6.3
286	Uric arthritis	9.2+9.7
287	Pancreas	3.3+4.0+9.2+9.7
288	Headache (spinal plexus related)	9.6
289	Spine	2.65+9.6+9.7
290	Spine (pain and osteochondrosis)	9.6
291	Polyarthritis – Metabolism	9.2+9.7
292	Poliomyelitis	8.25+9.35
293	Head trauma	1.2+3.6+6.3
294	Kidney stones	3.5+8.1
295	Kidney colic	2.8+3.3+3.5+8.1
296	Allergies	1.75+8.1+9.6
297	Joint pains	1.2+6.8+9.4+9.7
298	Urogenital dysfunction	9.4
299	Vision problems	3.6+4.9
300	Visceral organs (caused by biliary disease)	8.5
301	Visceral organs (caused by urogenital disease)	9.4
302	Nose, maxillary and frontal sinuses	7.5
303	Carotid arteries	5.5+9.5
304	Nose, chronic problems	2.5
305	Encephalic arachnoiditis, chronic	4.9
306	Traumatic head injury	1.2+6.3
307	Paranasal sinuses	2.5+2.9
308	Vaginal prolapse	2.5+9.4
309	Uterine prolapse	2.5+9.4

Deta UDT Manual

310	Rectal prolapse	2.5+9.4
311	Prostate	2.6+4.0+4.9+9.4
312	Prostatitis	9.4
313	Anti-inflammatory reaction	1.7
314	Anti-spasmodic reaction	6.0+6.8
315	Ulcers, reaction against	8.6+9.4+10.0
316	Rectum	2.6+3.8+4.0
317	Psychological, stimulation	2.2
318	Psychological, stimulation	2.2
319	Urinary Stress Incontinence	2.8+3.3+8.1+9.2
320	Neurotic	3.6+6.3
321	Multiple Sclerosis	9.2+7.7+5.9
322	Multiple Sclerosis	5.9+7.7+9.2
323	Sleep disturbance, stages of	3.9
324	Sleep disturbance	2.5+3.6+3.9+8.1
325	Rheumatism	9.7
326	Rheumatoid carditis	9.7
327	Regulation of hypothalamic-pituitary-adrenal-gonadal axis	4.0+4.9+5.5+9.4
328	Parathyroid gland, to balance	9.6
329	Urination, balancing sodium/potassium	8.1
330	Skin, immune stimulation	1.6+1.7+9.4
331	Stimulation of Central Spinal Fluid	1.2+6.3
332	Phosphorus/calcium metabolism	4.6+9.6+15.0+72.0
333	Potassium metabolism	10.0
334	Hepatobiliary regulation	0.7+0.9+2.5+2.65+3.3+8.5+9.8
335	Gastrointestinal, to balance	3.5+8.1+9.4
336	Parathyroid gland, to balance	9.6
337	Juxtaglomerular apparatus and erythropoietin regulation	2.8+3.3+8.1+9.25
338	Prostate and Testicles, balance	2.6+4.0+9.4
339	Ovaries, balance	4.0+4.9
340	Sodium and potassium metabolism	8.1
341	Cervical (neck) problems	4.9+6.0
342	Rhinitis	2.5+2.9
343	Diabetes Type II, glucose regulation	9.2
344	Blood clotting mechanism	2.5+2.6+3.8+4.0
345	Sedation, general	3.9+6.3
346	Heart	1.2+6.0+9.45++10.0
347	Sympathicotonic effect	3.8+8.0+9.45
348	Sympathetic Nervous System	1.75
349	Deficiency of blood vessels of head	1.26
350	Spinal Nerve Syndrome	9.6
351	Pre-Menstrual Syndrome	4.9
352	Sinuses	2.5
353	Headache, paranasal sinuses	2.5
354	Systolic hypertension	6.0



Deta UDT Manual

355	Kidneys, hardening of blood vessels	9.3
356	Knee, arthroses, weakening of	1.2+3.5
357	Colic pains, removal of	3.5
358	Connective Tissue	9.6
359	Headaches, blood vessel related	5.5+9.5
360	Headaches, hormonal deficiencies	5.5
361	Headaches, related to Da Costa Syndrome (neurocircul asthenia)	4.0
362	Headaches, hypertonia related	6.0
363	Headache, neurocirculatory dystonia	9.4
364	Concussion	6.3
365	Vasospasm with parasthesia	5.5
366	Spasmolytic reaction	3.8+8.0+9.45
367	Cardiovascular spasms	3.8+8.0+9.45
368	Cyclospasm (ciliary muscles, eye)	3.6+4.9
369	Spasm, different causes	3.8
370	Spastic hypertonia	9.45+9.5
371	Spastic colon (colitis)	3.8+5.9+7.7
372	Spastic paralysis	5.9+7.7+9.2
373	Bronchiole spasmodic contraction	5.9
374	Angina	9.45
375	Fear	3.5
376	Muscle cramps	6.8
377	Arthroses (joints)	1.2+1.6+2.65+9.2+9.6+9.7
378	Sinusitis, frontal	2.5
379	Tachycardia	1.2
380	Liver, Toxicity	0.9+2.5+3.3+9.8
381	Large intestine	2.6+8.0+9.4
382	Headache, tonsils	9.4
383	Headache, tonsils	9.45
384	Small intestine	2.6+8.0+9.4
385	Traumatising	2.5
386	Ulcers, feet	10.0
387	Renal Tubular neuropathy	2.8+3.3+8.1+9.2
388	Knee joints, stiffness	1.2+3.5
389	Feet, heavy feeling	9.4
390	Erythema	9.4
391	Uremia (hardening processes)	2.8+3.3+8.1+9.2
392	Uremia	9.7
393	Headache, urogenital system	9.4
394	Headache, urogenital system	9.4
395	Fatigue, tiredness	2.2
396	Traumas	2.5
397	Phlebitis	10
398	Tonsilitis, nodular	9.45
399	Frontal sinusitis	2.5
400	Furunculosis (chronic boils)	1.7+3.3+4.9+9.2+9.4

Deta UDT Manual

401	Cholangitis, biliary tract infection	0.9+2.5+3.3++9.8
402	Cholangitis	3.3+9.8
403	Cholesistitis, gall bladder inflamm.	3.3+9.8
404	Chronic hepatitis	0.9+2.5+3.3++9.8
405	Chronic bronchitis	9.3
406	Chronic meningitis	4.9
407	Chronic hepatitis	0.9+2.5+3.3++9.8
408	Chronic otitis (middle)	3.3+5.8+9.2
409	Encephalic hypertension	1.2+6.3
410	Headache, head	1.26
411	Cerebral angiospasm	1.2+6.3
412	Cerebral arachnoiditis	4.9
413	Chronic Fatigue Syndrome	4.9
414	Cerebrovascular insufficiency	1.2+6.3
415	Cirrhosis of liver	0.9+2.5+3.3+9.8
416	Cystitis	8.1+9.4
417	Vision problems	3.6+4.9
418	Bladder, urethra	8.1+9.4
419	Muscles	3.8+6.8
420	Hearing	5.8+6.0+9.25+9.8
421	Kidneys	2.8+3.3+3.5+8.1+9.2+9.7
422	Joints	1.2+1.6+2.65+9.2+9.6+9.7
423	Cranial nerves	3.8+3.9+7.5
424	Hypothyroidism	9.5
425	Eczema	9.2
426	Eczema	0.7+1.7+2.6+9.2+9.4
427	Eczema, pustular	2.2
428	Eczema, dry	0.7+1.7+2.5+9.25+9.4
429	Arrhythmia	6.0
430	Endocarditis	10.0
431	Endocrine headaches	4.0+4.9+9.4
432	Endometriosis	9.4
433	Energy stimulation	2.2
434	Epicondylitis	2.65+9.7
435	Arrhythmia	6.0
436	Gastric ulcer	9.4
437	Duodenal ulcer	8.6+10
438	Peptic ulcer	9.4+10
439	Necrotizing endocarditis	9.4
440	Skin ulcer, lower limbs	10.0
441	Testicles	2.6+4.0+4.9+9.4
442	Ovaries	2.5+2.6+4.0+4.9+9.4
443	Mental stimulation, pronounced	6.3

N.B. It is important to seek medical help from a medical health professional when these problems are chronic.

© Dr George J Georgiou ([www.deta-elis-uk.com](http://www.deta-elis-uk.com)), 2013. All Rights Reserved.

## THE MAJOR THERAPY ZONES OF THE BODY USED WITH QUANTUM LIGHT

